



Product Overview

Created on: 11/24/2010

CM1692: Praetorian® L-C 4-, 6- and 8-Channel EMI Filter Arrays with ESD Protection

For complete documentation, see the [data sheet](#)

Product Description

The CM1692 is a family of pi-style EMI filter arrays with ESD protection, which integrates four, six and eight filters (C-L-C) in small form factor uDFN 0.40mm pitch packages. Each EMI filter channel of the CM1692 is implemented as a 3-pole L-C filter.

Features

- Six or eight channels of EMI suppression with integrated ESD protection
- Robust, space saving TDFN package

Benefits

- Mates with most popular board to board connector interfaces
- Can be placed adjacent to connectors and board edges

Applications

- High Speed Parallel Interface lines, in 4, 6, or 8 channel configurations

End Products

- Cellular Phones, Smart Phones, Notebooks, Netbooks Personal

Selected Electrical Specifications

Symbol	Boundary	Value	Unit	Condition
C	typ	28.2	pF	at 2.5 V bias
I _R	max	1	i _c 1/2A	max
V _(BR)	typ	6.8	V	nominal

Package Availability

Type	Pb-free	Standard
UDFN8, 1.7x1.35, 0.4P	✓	
UDFN16, 3.3x1.35, 0.4P	✓	
UDFN12, 2.5x1.35, 0.4P	✓	

For more information please contact your local sales support at www.onsemi.com